125 REFRENCES

EXPRESS MAILING LABEL NO. EV371747182US

Sheet _1_ of _8_

FORM PTO 449 US DEPARTMENT OF COMMERCE

INFORMATION DISCLOSURE STATEMENT BY APPLICANTS

| ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|---------------------------------|-----------------------------------|
| APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| FILING DATE Sept. 18, 2003 | GROUP 2862 |

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|------|--------------------|----------|------------------|-------|----------|----------------------------------|
| EXAMINER INITIAL | REF. | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATI |
| Ш | | 3,812,457 | 05/21/74 | Weller | 340 | 15.5 | |
| W | à | 4,003,017 | 01/11/77 | Bailey | 340 | 15.5 | |
| UA | Š | 4,144,949 | 03/20/79 | Silverman | 181 | 106 | |
| 14 | 4 | 4,207,619 | 06/10/80 | Klaveness | 367 | 36 | |
| ĬII. | 5 | 4,460,059 | 07/17/84 | Katz | 181 | 102 | |
| 111 | 6 | 4,718,048 | 01/05/88 | Staron et al. | 367 | 40 | |
| un | 17 | 4,829,489 | 05/09/89 | Rector | 367 | 82 | |
| W | 8 | 4,849,945 | 07/18/89 | Widrow | 367 | 30 | |
| un | 4 | 4,862,423 | 08/29/89 | Rector | 367 | 25 | |
| W | 10 | 4,873,675 | 10/10/89 | Barr, Jr. et al. | 367 | 57 | |
| ill | 11 | 4,954,998 | 09/04/90 | Rector | 367 | 82 ` | |
| W | .12 | 4,965,774 | 10/23/90 | Ng et al. | 367 | 75 | |
| 1/1 | 13 | 5,012,453 | 04/30/91 | Katz | 367 | 57 | |
| W. | 14 | 5,081,612 | 01/14/92 | Scott et al. | 367 | 38 | |
| U | 15 | 5,109,946 | 05/05/92 | Sorrells | 181 | 106 | |
| Ill | 16 | 5,109,947 | 05/05/92 | Rector III | 181 | 106 | |
| W. | 17 | 5,128,866 | 07/07/92 | Weakley | 364 | 421 | |
| We | 158 | 5,130,949 | 07/14/92 | Kan et al. | 367 | 27 | |
| 1/1. | 19 | 5,144,589 | 09/01/92 | Hardage | 367 | 25 | |
| Wr. | 20 | 5,144,591 | 09/01/92 | Hardage | 367 | 75 | |
| LIA | 21 | 5,191,557 | 03/02/93 | Rector et al. | 367 | 41 | |
| ili | 32 | 5,200,929 | 04/06/93 | Bowers | 367 | 38 | |
| 1/1 | 23 | 5,233,567 | 08/03/93 | Calvert | 367 | 27 | |
| ILL | 24 | 5,233,568 | 08/03/93 | Kan et al. | 367 | 27 | |
| W | 35 | 5,305,285 | 04/19/94 | Naville et al. | 367 | 49 | |
| 11人 | 36 | 5,343,440 | 08/30/94 | Kan et al. | 367 | 27 | |

EXAMINER

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|-------------------------|---|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| STATEMENT BY APPLICANTS | | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|------|--------------------|----------|-------------------|-------|----------|----------------------------------|
| EXAMINER INITIAL | REF. | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| \di | 27 | 5,372,207 | 12/13/94 | Naville et al. | 175 | 1 | - |
| 41 | 28 | 5,438,170 | 08/01/95 | Klaveness | 181 | 106 | |
| 111 | 29 | 5,511,038 | 04/23/96 | Angeleri et al. | 367 | 40 | |
| 111 | 30 | 5,583,825 | 12/10/96 | Carrazzone et al. | 367 | 31 | |
| W, | 31 | 5,585,556 | 12/17/96 | Petersen et al. | 73 | 152.03 | |
| Tui. | 37 | 5,615,115 | 05/25/97 | Shilling | 364 | 421 | |
| IM. | 33 | 5,758,539 | 06/02/98 | Naville et al. | 73 | 152.03 | |
| ui. | 34 | 5,798,488 | 08/25/98 | Beresford et al. | 181 | 102 | |
| 111 | 35 | 5,844,132 | 12/01/98 | Fabret et al. | 73 | 152.45 | |
| w | 3k | 5,835,883 | 11/10/98 | Neff et al. | 702 | 7 | |
| tus | 30 | 5,936,913 | 08/10/99 | Gill et al. | 367 | 25 | 1. |
| 111 | 38 | 5,937,362 | 08/10/99 | Lindsay et al. | 702 | 9 | |
| u | 3 | 6,176,323 | 01/23/01 | Weirich et al. | 175 | 40 | |
| M | 40 | 6,206,108 | 03/27/01 | MacDonald et al. | 175 | 24 | |
| W | 41 | 6,023,444 | 02/08/00 | Naville | 367 | 82 | |
| lu | 42 | 6,262,941 | 07/17/01 | Naville | 367 | 82 | |

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | |
|---------------------|--|---|--|--|--|--|
| EXAMINER INITIAL | | | | | | |
| illy | 43 | Aleotti, L. et al, "Impact of Drill-Bit Seismic Method on Explorative Wells," EAGE-56th Meeting and Technical Exhibition., Vienna, Austria, June 6-10, 1994. | | | | |
| ш | 44 | Aleotti, L. et al, "SEISBIT-Latest Applications of Seismic While Drilling Technology," 57th EAEG Conference and Technical Exhibition, Glasgow, Scotland. May 29-June 2, 1995. | | | | |
| w | 45 | Aleotti, L. et al, "Seismic While-Drilling Technology: Use and Analysis of Drill-Bit Seismic Source in a Cross-Hole Survey", Geophysical Prospecting, Vol. 47, pp. 25-39, May-June, 1999. | | | | |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|---------------|--|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| | STATEMENT BY APPLICANTS | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | |
|--|------|--|--|--|--|
| EXAMINER INITIAL | REF. | | | | |
| w | 46 | Bertelli, L., Savini, L., and Martera, M.D., "While Drilling Methodologies - the Integration Strategy and the Impact of E&P Activities," EAGE 59 th Conference and Technical Exhibition, Geneva, Switzerland, May 26-30, 1997. | | | |
| 14. | 47 | Best, A.I., "The Effect of Pressure on Ultrasonic Velocity and Attenuation in Near-Surface Sedimentary Rocks," Geophysical Prospecting, Vol. 45, pp. 345-364, 1997. | | | |
| Ly. | 455 | Best, A.I., McCann, C., and Sothcott, J., "The Relationships Between the Velocities, Attenuations and Petrophysical Properties of Reservoir Sedimentary Rocks", Geophysical Prospecting, Vol. 2, pp. 151-178, 1994. | | | |
| ws | 49 | Borland, W. et al., "Real-Time Answers to Well Drilling and Design Questions," Oilfield Review, Vol. 9, No. 2, pp. 2-15, Summer 1997. | | | |
| lle | 50 | Borland, W.H. and Drew, J, "Drilling Hazard Risk Reduction in Brunei Using Surface and Drill Bit Seismic Data," IADC Well Control Conference for the Asia Pacific Region, Singapore, December 4-5, 1997. | | | |
| in | 51 | Borland, W.H. et al, "Drill Bit Seismic, Vertical Seismic Profiling, and Seismic Depth Imagining to aid Drilling Decisions in the Tho Tinh Structure-Nam Con Son Basin – Vletnam," Society of Exploration Geophysicists of Japan, Tokyo, Vol. 51, No. 1, pp. 27-45, February 1998. | | | |
| د بیا | 52 | Bowers, G.L., "Pore Pressure Estimation from Velocity Data: Accounting for Overpressure Mechanisms Besides Undercompaction," IADC/SPE Drilling Conference, Dallas, Texas SPE 27488, pp. 515-530, 1994. | | | |
| 1440 | 53 | Bowers, G. L., "Pore Pressure Estimation From Velocity Data: Accounting for Overpressure Mechanisms Besides Undercompaction", SPE Drilling & Completion, pp. 89-95, June 1995 | | | |
| 111 | 54 | Cadoret, T., Mavko, G., and Zinszner, B., "Fluid Distribution Effect on Sonic Attenuation in Partially Saturated Limestones," Geophysics, Vol. 63, No. 1, pp. 154-160, January-February 1998. | | | |
| hu | 55 | Christensen, N.I., and Wang, H.F., "The Influence of Pore Pressure and Confining Pressure on Dynamic Elastic Properties of Berea Sandstone," Geophysics, Vol. 50, No. 2, pp. 207-213, February 1985. | | | |
| W | 51 | Dickinson, G., "Geological Aspects of Abnormal Reservoir Pressures in Gulf Coast Louisiana," Bulletin of the American Association of Petroleum Geologists, Vol. 37, No. 2, pp. 410-432, February 1953. | | | |
| щ. | 517 | Duffaut, K. et al., "Shear-wave Elastic Impedance", The Leading Edge, pp. 1222, 1224, 1226 and 1228-1229, November 2000. | | | |
| w | 58 | Dunn, K.J., "Acoustic Attenuation in Fluid-Saturated Porous Cylinders at Low Frequencies," J. Acoust. Soc. Am., Vol. 79, No. 6, pp. 1709-1721, June 1986. | | | |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|---------------|---|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| | STATEMENT BY APPLICANTS | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | |
|---------------------|--|---|--|--|--|
| EXAMINER INITIAL | REF. | | | | |
| 11. | 59 | Dunn, K.J., "Sample Boundary Effect in Acoustic Attenuation of Fluid-Saturated Porous Cylinders," J. Acoust. Soc. Am., Vol. 81, No. 5, pp. 1259-1266, May 1987. | | | |
| 1 | 60 | Dutta, N.C., "Pressure Prediction from Seismic Data: Implications for Seal Distribution and Hydrocarbon Exploration and Exploitation in the Deepwater Gulf of Mexico", Norwegian Petroleum Society (NPF) Special Publication 7, pp. 187-199, 1997 | | | |
| 11/ | 61 | Dvorkin, J. Nolen-Hoeksema, R., and Nur, A., "The Squirt-Flow Mechanism: Macroscopic Description," Geophysics, Vol. 59, No. 3, pp. 428-438, March 1994. | | | |
| 74 | 62 | Dvorkin, J., and Nur, A., "Dynamic Poroelasticity: A Unified Model with the Squirt and the Biot Mechanisms," Geophysics, Vol. 58, No. 4, pp. 524-533, April 1993. | | | |
| 14. | 83 | Dvorkin, J., Mavko, G., and Nur, A., "Squirt Flow in Fully Saturated Rocks," Geophysics, Vol. 60, No. 1, pp. 97-107, January-February 1995. | | | |
| الم | 64 | Esmersoy, C. et al., "Acoustic Imaging of Reservoir Structure from a Horizontal Well," The Leading Edge, pp. 940-946, July 1998. | | | |
| 11/ | 65 | Abstract of Garotta, R. et al., "Defining Seismic Velocities and Density from P and S (or PS) Seismic Data", SEG/EAGE Summer Research Workshop, pp. 1884-1888, October 1-6, 2000 (Abstract). | | | |
| 110 | 66 | Gas Research Institute, "Look-Ahead Prediction of Pore Pressure While Drilling: Assessment of Existing and Promising Technologies", February 1999. | | | |
| 41 | 67 | Goldberg, D., and Zinszner, B., "P-Wave Attenuation Measurements from Laboratory Resonance and Sonic Waveform Data," Geophysics, Vol. 54, No. 1, pp. 76-81, January 1989. | | | |
| | 68 | Green, D.H., and Wang, H.F., "Fluid Pressure Response to Undrained Compression in Saturated Sedimentary Rock," Geophysics, Vol. 51, No. 4, pp. 948-956, April 1986. | | | |
| | 69 | Han, D., Nur, A., and Morgan, D., "Effects of Porosity and Clay Content on Wave Velocities in Sandstones," Geophysics, Vol. 51, No. 11, pp. 2093-2107, November 1986. | | | |
| 114 | 70 | Heisig, G., Sanco, J., and Macpherson, J.D., "Downhole Diagnosis of Drilling Dynamics Data Provides New Level Drilling Process Control to Driller," SPE 49206, pp. 649-658, September 27-30, 1998. | | | |
| , M | 71 | Jackson, M., and Einchcomb, C., "Seismic While Drilling: Operational Experiences in Vietnam," World Oil, pp. 50, 53, March 1997. | | | |
| w | 72 | Jogi, P.N. et al., "Field Verification of Model Derived Natural Frequencies of a drill Sting", ETCE99-6648, pp. 1-8, 1999. | | | |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|---------------|---|------------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| | STATEMENT DI AFFLICANTS | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | |
|------------------|--|--|--|--|--|
| EXAMINER INITIAL | REF. | | | | |
| 14 | 73 | Jones, T.D., "Pore Fluids and Frequency-Dependent Wave Propagation in Rocks," Geophysics, Vol. 51, No. 10, pp. 1939-1953, October 1986. | | | |
| 114 | 74 | Jones, T.D., and Nur, A., "Velocity and Attenuation in Sandstone at Elevated Temperatures and Pressures," Geophysical Research Letters, Vol. 10, No. 2, pp. 140-143, February 1983. | | | |
| 14 | 75 | Kamata, M. et al, "Drill-Bit Seismic a Service for Drilling Optimization," SPWLA, 38th Annual Logging Symposium, pp. 1-9, June 15-18, 1997. | | | |
| W. | 76 | Kamata, M., Underbill, W., Meehan, R., and Nutt, L., "Real-Time Seismic-While-Drilling Offer Savings, Improves Safety," Hart's Petroleum Engineer International,. Vol. 70, No. 10, pp. 37-39, October 1997. | | | |
| W | 777 | Kan, T.K., and Sicking, C.J., "Pre-Drill Geophysical Methods for Geopressure Detection and Evaluation", Development in Petroleum Science, 38, pp. 155-186, 1994. | | | |
| IM A | 1795 | Kozawa, T. et al., "Active SWD Using Monochromatic Wavelet", The Third Well Logging Symposium of Japan, pp. 1-6, September 24-25 1997. | | | |
| 141 | 74 | Lee, S., Shaw, J., Ho, R., Burger, J., Singh, S., and Troyer, B., "Illuminating the Shadows: Tomography, Attenuation, and Pore-Pressure Processing in the South Caspian Sea", The Leading Edge, pp. 777-782, June 1998. | | | |
| un | 50 | Lucet, N., and Zinszner, B., "Effects of Heterogeneities and Anisotropy on Sonic and Ultrasonic Attenuation in Rocks," Geophysics, Vol. 57, No. 8, pp. 1018-1026, August 1992. | | | |
| wr | 81 | Lucet, N., Rasolofosaon, P.N.J., and Zinszner, B., "Sonic Properties of Rocks Under Confining Pressure Using the Resonant Bar Technique," J. Acoust. Soc. Am., Vol. 89, No. 3, pp. 980-990, March 1991. | | | |
| WA | 82 | Macpherson, J.D., Jogi, P., and Kingman. J.E., "Application and Analysis of Simultaneous Near Bit and Surface Dynamics," IADC/SPE 39397, pp. 857-869, March 3-6, 1998. | | | |
| 41 | 83 | Manik, P., and Soedaldjo, P.A., "Prediction of Abnormal Pressure Based on Seismic Data. A Case Study of Exploratory Well Drilling in Pertamina UEP I and UEP II Work Areas", Proceedings of the Thirteenth Annual Convention, pp. 461-505, Jakarta, May 29-30, 1984. | | | |
| Ur | 84 | Mavko, G., and Jizba, D., "The Relation Between Seismic P- and S-wave Velocity Dispersion in Saturated Rocks," Geophysics, Vol. 59, No. 1, pp. 87-92, January 1994. | | | |
| W. | 85 | Mavko, G.M. et al., "Wave Attenuation in Partially Saturated Rocks", 46 th Annual International SEG Meeting, Houston, Texas, pp. 161-178, October 27, 1976. | | | |
| W | 86 | McMillin, K, "Deepwater Generates Interesting Seismic-While-Drilling Technology," Offshore, pp. 44, 104, March 1999. | | | |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY, DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|-------------------------|---|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| STATEMENT BY APPLICANTS | | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|--|------------|---|
| EXAMINER INITIAL | REF. | |
| ÛLA | 87 | Meehan, R. et al, "Rekindling Interest in Seismic While Drilling," Oilfield Review, pp. 4-13, January 1993. |
| 24 | 8 8 | Meehan, R., Nutt, L., Dutta, N., and Menzies, J., "Seismic Information Helps Predict Drilling Hazards, Choose Chasing Point," Oil and Gas Journal, pp. 53-60, May 11, 1998. |
| W. | 84 | Meehan, R., Nutt, L., Dutta, N., and Menzies, J., "Drill Bit Seismic: A Drilling Optimization Tool," IADC/SPE 39312, pp. 177-190, March 3-6, 1998. |
| M | 40 | Menke, W., and Dubendorff, B., "Discriminating Intrinsic and Apparent Attenuation in Layered Rock," Geophysical Research Letters, Vol. 12, No. 10, pp. 721-724, October 1985. |
| 144. | 91 | Morig, R., and Burkhardt, H., "Experimental Evidence for the Biot-Gardner Theory," Geophysics, Vol. 54, No. 4, pp. 524-527, April 1989. |
| 140 | 97 | Murphy, W.F. III, "Effects of Partial Water Saturation on Attenuation in Massilon Sandstone and Vycor Porous Glass," J. Acoust. Soc. Am., Vol. 71, No. 6, pp. 1458-1468, June 1982. |
| Ms | 93 | Nutt, L., "Drill Bit Seismic Improves Drilling Data," The American Oil & Gas Reporter, pp. 57-62, November 1997. |
| w | 94 | O'Connell, R. J., and Budiansky, B., "Viscoelastic Properties of Fluid-Saturated Cracked Solids," Journal of Geophysical Research, Vol. 82, No. 36, pp. 5719-5735, December 10, 1977. |
| IN | 95 | O'Hara, S.G., "Elastic-Wave Attenuation in Fluid-Saturated Berea Sandstone," Geophysics, Vol. 54, No. 6, pp. 785-788, June 1989. |
| lus | 96 | O'Hara, S.G., "Influence of Pressure, Temperature, and Pore Fluid on the Frequency-Dependent Attenuation of Elastic Waves in Berea Sandstone," Physical Review A, Vol. 32, No. 1, pp. 472-488, July 1985. |
| WA | 9 | Palmer, L.D., and Traviolia, M.L., "Attenuation by Squirt Flow in Undersaturated Gas Sands," Geophysics, Vol. 45, No. 12, pp. 1780-1792, December 1980. |
| W | 98 | Parra, J.O., "The Transversely Isotropic Poroelastic Wave Equation Including the Biot and the Squirt Mechanisms: Theory and Application," Geophysics, Vol. 62, No. 1, pp. 309-318, January-February 1997. |
| M | S | Payne, M.A., "Looking Ahead with Vertical Seismic Profiles," Geophysics, Vol. 59, No. 8, pp. 1182-1191, August 1994. |
| u. | 100 | Pennebaker, E.S. Jr., "Seismic Data Indicate Depth, Magnitude of Abnormal Pressures", World Oil, pp. 73-77, June 1968. |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|---------------|---|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| | STATEMENT BY APPLICANTS | | GROUP 2862 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|--|------|---|
| EXAMINER INITIAL | REF. | |
| علاد | 101 | Poletto, F. et al, "Seismic While Drilling Using PDC Signals - SEISBIT Experience and Perspectives," EAGE 59th Conference and Technical Exhibition, Geneva, Switzerland, May 26-30, 1997. |
| 140 | 10.2 | Prasad, M., and Manghnani, M.H., "Effects of Pore and Differential Pressure on Compressional Wave Velocity and Quality Factor in Berea and Michigan Sandstones," Geophysics, Vol. 62, No. 4, pp. 1163-1176, July- August 1997. |
| U . | 103 | Ramaswamy, M., and loup, G.E., "Autocorrelation Estimation Using Constrained Iterative Spectral Deconvolution," Geophysics, Vol. 54, No. 3, pp. 381-391, March 1989. |
| 14 | 104 | Rector, J.W., "Drill Bit Wavefields", 54 th Meeting and Technical Exhibition, Paris, France, pp. 220-221, June 1-5, 1999. |
| 140 | 105 | Rector, J.W. III, and Hardage, B.A., "Radiation Pattern and Seismic Waves Generated by a Roller-Cone Drill Bit," Geophysics, Vol. 57, No. 10, pp. 1319-1333, October 1992. |
| WA | 106 | Rector, J.W., III, "Drill String Wave Modes Produced by a Working Drill Bit," 62nd Ann. Int. Mtg. SEC, Expanded Abstracts, pp. 155-158, 1992. |
| 14 4 4 | 107 | Rector, J.W., III, and Marion, B.P., "The use of Drill-Bit Energy as a Downhole Seismic Source," Geophysics, Vol. 56, No. 5, pp. 628-634, May 1991. |
| 145 | 108 | Rector, J.W., III, Marion, B.P., and Hardage, R.A., "The Use of an Active Dill Bit for Inverse VSP Measurements," 7th ASEG Conference and Exhibition, Vol. 20, No. ½, pp. 343-346, September 24-29, 1989. |
| W (| 109 | Rector, J.W., Marion, B.P., and Widow, B., "Use of Drill Bit Energy as a Downhole Seismic Source," 58th Ann. Int. Mtg. Of SEG, Expanded Abstracts, pp. 161-164, 1988. |
| Ws | 110 | Sams, M.S., Neep, J.P., Worthington, M.H., and King, M.S., "The Measurement of Velocity Dispersion and Frequency-Dependent Intrinic Attenuation in Sedimentary Rocks," Geophysics, Vol. 62, No. 5, pp. 1456-1464, September-October 1997. |
| W | 111 | Sayers, C.M., and Johnson, G.M., Schlumberger, and Denyer, G., "Predrill Pore Pressure Prediction Using Seismic Data", 2000 IADC/SPE Drilling Conference, New Orleans, Louisiana February 23-25, 2000. |
| u_ | 112 | Shuttleworth, N.E., van Kerkoerle, E.J., Folmer, D.R., and Foekema, N., "Revised Drilling Practices, VSS-MWD Tool Successfully Addresses Catastrophic Bit/Drillstring Vibrations," IADC/SPE 39314, pp. 925-933, March 3-6, 1998. |
| w | 113 | Spencer, J.W., Jr., "Bulk and Shear Attenuation in Berea Sandstone: The Effects of Pore Fluids," Journal of Geophysical Research, Vol. 84, No. B13, pp. 7521-7523, December 10, 1979. |

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. XOM-CON1 | APPLICATION NO. 10/666,208 |
|-------------------------|---|---------------------------------|-----------------------------------|
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANTS | APPLICANTS Hans Thomann, et al. | CONFIRMATION NO. 8301 |
| STATEMENT BY APPLICANTS | | FILING DATE Sept. 18, 2003 | GROUP 2862 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|--|------|--|
| EXAMINER INITIAL | REF. | |
| | 114 | Spencer, J.W., Jr., "Stress Relaxations at Low Frequencies in Fluid-saturated Rocks: Attenuation and Modulus Dispersion", Journal of Geophysical Research, Vol. 86, No. B3, pp. 1803-1812, March 10, 1981. |
| 14, | 115 | Tittman, B.R. et al. "Dissipation of Elastic Waves in Fluid Saturated Rocks," Physics and Chemistry of Porous Media, American Institute of Physics, pp. 131-143, 1984. |
| lux | 116 | Tittmann, B.R., Nadler, H., Clark, V.A., and Ahlberg, L.A., "Frequency Dependence of Seismic Dissipation in Saturated Rock," Journal of Geophysical Research Letters, Vol. 8, No. 1, pp. 36-38, January 1981. |
| 11.4. | 117 | Todd, T., and Simmons, G., "Effect of Pore Pressure on the Velocity of Compressional Waves in Low-Porosity Rocks," Journal of Geophysical Research, Vol. 77, No. 20, pp. 3731-3743, July 10, 1972. |
| WAS | 118 | Tutuncu, A.N., Podio, A.L., Gregory, A.R., and Sharma, M.M., "Nonlinear Viscoelastic Behavior of Sedimentary Rocks, Part I: Effect of Frequency and Strain Amplitude," Geophysics, Vol. 63, No. 1, pp. 184-194, January-February 1998. |
| N. | 119 | Tutuncu, A.N., Podio, A.L., Gregory, A.R., and Sharma, M.M "Nonlinear Viscoelastic Behavior of Sedimentary Rocks, Part II: Hysteresis Effects and Influence of Type of Fluid on Elastic Moduli," Geophysics, Vol. 63, No. 1, pp. 195-203, January-February 1998. |
| lys | 120 | Vo-Thanh, D., "Effects of Fluid Viscosity on Shear-Wave Attenuation in Saturated Sandstones," Geophysics, Vol. 55, No. 6, pp. 712-722, June 1990. |
| . 40 | 121 | White, J.E., "Biot-Gardener Theory of Extensional Waves in Porous Rods," Geophysics, Vol. 51, No. 3, pp. 742-745, March 1986. |
| 14. | 122 | Williams, D.M. et al, "The Long Spaced Acoustic Logging Tool," SPWLA 25 th Annual Logging Symposium, June 10-13, 1984. |
| w | 123 | Winkler, K.W., "Dispersion Analysis of Velocity and Attenuation in Berea Sandstones," Journal of Geophysical Research, Vol. 90, No. B8, pp. 6793-6800, July 10, 1985. |
| ur | 124 | Winkler, K.W., "Frequency Dependent Ultrasonic Properties of High-Porosity Sandstones," Journal of Geophysical Research, Vol. 88, No. B11, pp. 9493-9499, November 10, 1983. |
| m | 125 | Winkler, K.W., and Nur, A., "Seismic Attenuation: Effects of Pore Fluids and Frictional Sliding," Geophysics, Vol. 47, No. 1, pp. 1-15, January 1982. |